

Activated carbon filter that adsorbs gases, VOCs and odors.



MFS Carbon offers a simple and cost effective clean air solutions for processes that require gas or odor control such as additive manufacturing, 3D printing or lab work. The filter frame mounts directly to walls, beams or counters saving valuable work space. The inlet can be directly connected to extraction arms or hoods used to capture contaminant at the source. Integral fans or duct connect directly to the filter outlet allowing air to be recirulated or exhausted outdoors when necessary or regulations require.

The modular design allows the full range of MFS filters to be grouped together to expand capacity or filtration capability for small and large operations. Options and accessories are available for automated operation, improved service and reduce sound level.

- Easy to install, operate and maintain filtration solution that can be mounted almost anywhere.
- Activated carbon pellets are effective filtration for many gas, odor and VOC contaminants.
- Modular design, inlet / outlet options, accessories and filter options adapt to unique requirements.
- Innovative filter design for effective filtration and reduced exposure during service.
- Recirculating clean air where allowed versus exhausting saves energy and reduces operating costs.

Nazwa produktu	MFS Carbon
Przepływ powietrza (m³/h)	800
Materiał filtracyjny	Activated carbon (15 kg)
Kolor	
Waga (kg)	21
Wyjaśnienie do danych technicznych	The flow of air should not exceed 500 m3/h per filter unit. The lower the flow of air, the better the filtration ability/absorption.




The remote server returned an unexpected response: (502) Bad Gateway.	Nazwa na karcie charakterystyki	The remote server returned an unexpected response: (502) Bad Gateway.
	Filtr MFS z kartridżem, konsolą i przyłączami	12600544*


<sup>\*</sup>The flow of air should not exceed 500 m3/h per filter unit. The lower the flow of air, the better the filtration ability/absorption.



The	remote server returned an unexpected response: (502) Bad Gateway.	The remote server returned an unexpected response: (502) Bad
	MFS - mocowanie ścienne	12600644
1	MFS, Replacement Cartridge Kit, Carbon	12603461







MFS dimensions