

LUBRICATION

Over Flow Protection Kit for Tanks


FUNKTION

Lysdiod indikerar draget relä = normalt tillstånd i luft. Fallande relä vid max nivå samt kortslutning eller avbrott i givarledning.


FUNCTION

Light emitting diod indicates relay feature = normal state in the air. Falling relay at max level and short-circuit or interruption of transducer conduction.

TERMISTORAUTOMATIK TERMISTOR AUTOMATISM



Over Flow Protection Kit for Tanks



HÅLTAGNING I TANKENS LOCK FÖR GIVARE
HOLES IN THE TANK COVER FOR THE TRANSDUCER

Over Flow Protection Kit for Tanks

Nederman

www.nederman.com

Nederman is represented in:

Australia, Austria, Bahrain, Belgium, Brazil, Bulgaria, Canada, China, the Czech Republic, Cyprus, Denmark, Egypt, Estonia, Finland, France, Germany, Greece, Hong Kong, Hungary, Iceland, India, Iran, Ireland, Italy, Japan, Korea, Latvia, Lithuania, Malaysia, the Netherlands, Norway, Philippines, Poland, Portugal, Romania, Russia, Saudi Arabia, Serbia & Montenegro, Singapore, Slovenia, South Africa, Spain, Sweden, Switzerland, Taiwan R.O.C., Thailand, Turkey, United Arab Emirates, United Kingdom, USA.